	Application No.	Applicant(s)
Notice of Allowability	09/938,586	ISHII, KATSUHIRO
	Examiner	Art Unit
	Simon Sing	2645
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 11/18/2004.		
2. The allowed claim(s) is/are <u>1-5</u> .		
3. The drawings filed on 27 August 2001 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
<ul> <li>Attachment(s)</li> <li>1. ☑ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 08/21/2002</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☐ Examiner's Amenda	te ´

Application/Control Number: 09/938,586

Art Unit: 2645

## **DETAILED ACTION**

## Allowable Subject Matter

- 1. Claims 1-5 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

The current invention discloses a method and system for canceling the second harmonic generated from a firs amplifier by combining said second harmonic with a leakage signal 180° out of phase from a second amplifier operating at a frequency band about twice of the first amplifier. Prior art of US 4,811,422 (KAHN) and JP 11-355056 (MATSUDA) teach canceling second harmonic by taking a canceling signal from the same amplifier and shifting it 180° before combining. KKAHN and MATSUDA fails to teach taking a cancellation signal from a second amplifier operating at a frequency about twice of a first amplifier. Prior art of US 6,366,788 (FUJIOKA et al) and US 6,400,963 (GLOCKLER et al) each teaches a dual frequency bands system and canceling harmonics by filtering. Neither Fujioka or Glockler teaches or suggests taking a cancellation signal from another frequency band.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

S. Sing

05/09/2005

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600